

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

Purpose

The Exotic Birdkeepers Advisory Group has applied the draft criteria considered at its meeting in September 2006 to the exotic birds on the 2003 Inventory of Exotic (Non-Native) Birds Known to be in Australia. The list below is the result of the exercise. The draft criteria and the draft classification are available for comment until 15 November 2006. The Advisory Group will consider comments received at its next meeting in December 2006.

Proposed classes

The four classes and the proposed record keeping relating to each class is fully described in the summary of the fourth meeting on the Department's website. In summary: Class 1 and 2 are high interest exotic bird species (would require Activity Records and Movement Transaction Records); Class 3 are low interest birds (would only require movement records but no individual identification of specimens); and Class 4 are species requiring no record keeping under the proposal (i.e. exempt).

EBAG's application of the draft criteria

EBAG members assessed each of the criteria below as: a = high risk, b = medium risk, or c = low risk.

1. The degree that a species represents a pest risk to Australia's biodiversity e.g. a potential pest that may adversely affect native animals or habitat
2. The degree that a species represents a disease risk to Australia's biodiversity e.g. species is a potential carrier of a disease that may adversely affect native animals or habitat.
3. The likelihood that a species is the subject of illegal trade, or could be the subject of illegal trade.

The fourth column in the table below indicates the initial assessment by EBAG members. It should be considered as work in progress. Some initial assessments for different species are the same, but that species may have been classified at a higher or lower level after taking account of considerations such as current pest status or potential for a future risk. These species may need more rigorous assessment against the criteria when comments have been considered.

It is proposed to remove hybrids from the list on the basis that they be included at species level and classified at the highest classification of the species involved.

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Vultur gryphus</i>	Andean Condor	1	1c, 2c, 3a
<i>Cyanoramphus unicolor</i>	Antipodes Parakeet, Antipodes Green Parakeet	1	1b, 2c, 3b
<i>Bolborhynchus lineola</i>	Barred Parakeet	1	1b, 2c, 3a
<i>Chalcopsitta atra</i>	Black Lory	1	1b, 2c, 3a
<i>Chalcopsitta atra x Trichoglossus haematodus</i>	Black Lory x Rainbow Lory	1	Same as for <i>Chalcopsitta atra</i>
<i>Pyrrhura rupicola</i>	Black-capped Parakeet	1	1b, 2c, 3a
<i>Eos cyanogenia</i>	Black-winged Lory	1	1b, 2c, 3a
<i>Loriculus galgulus</i>	Blue-crowned Hanging-Parrot	1	1c, 2c, 3a
<i>Aratinga acuticaudata</i>	Blue-crowned Parakeet, Sharp-tailed Conure	1	1b, 2c, 3b
<i>Eos semilarvata</i>	Blue-eared Lory	1	1c, 2c, 3a
<i>Eos reticulata</i>	Blue-streaked Lory	1	1c, 2c, 3a
<i>Pionus chalcopterus</i>	Bronze-winged Parrot	1	1b, 2c, 3a
<i>Apteryx australis</i>	Brown Kiwi	1	1c, 2c, 3a
<i>Poicephalus robustus</i>	Brown-necked Parrot, Cape Parrot	1	1b, 2c, 3a
<i>Chalcopsitta cardinalis</i>	Cardinal Lory	1	1b, 2c, 3a
<i>Chalcopsitta cardinalis x Trichoglossus haematodus</i>	Cardinal Lory x Rainbow/Coconut Lory	1	Same as for <i>Chalcopsitta cardinalis</i>
<i>Ara severus</i>	Chestnut-fronted Macaw, Severe Macaw	1	1b, 2c, 3a
<i>Phoenicopterus chilensis</i>	Chilean Flamingo	1	1c, 2b, 3a
<i>Phigys solitarius</i>	Collared Lory	1	1b, 2c, 3a
<i>Amazona leucocephala</i>	Cuban Amazon/Parrot	1	1c, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Aratinga weddellii</i>	Dusky-headed Conure/Parakeet	1	1b, 2c, 3b
<i>Chalcopsitta duivenbodei</i>	Duyvenbode's Lory, Brown Lory	1	1b, 2c, 3a
<i>Pyrrhura egregia</i>	Fiery-shouldered Parakeet	1	1b, 2c, 3a
<i>Cacatua goffini</i>	Goffin's Cockatoo, Tanimbar Cockatoo	1	1c, 2b, 3b
<i>Aratinga guarouba</i>	Golden Conure/Parakeet, Queen Bavaria Conure	1	1c, 2c, 3b
<i>Aratinga auricapillus</i>	Golden-capped Parakeet	1	1b, 2c, 3b
<i>Aratinga auricapillus x Aratinga jandaya</i>	Golden-capped Parakeet x Janday Conure	1	Same as for <i>Aratinga auricapillus</i>
<i>Psitteuteles goldiei</i>	Goldies Lorikeet	1	1c, 2c, 3a
<i>Ara ambiguus</i>	Great Green Macaw	1	1c, 2c, 3a
<i>Phoenicopterus ruber</i>	Greater Flamingo	1	1b, 2b, 3a
<i>Rhea americana</i>	Greater Rhea	1	1c, 2c, 3a
<i>Amazona viridigenalis</i>	Green-cheeked or Red-crowned Amazon	1	1b, 2c, 3a
<i>Deroptyus accipitrinus</i>	Hawk-headed Parrot, Red-fan Parrot	1	1c, 2c, 3a
<i>Anodorhynchus hyacinthinus</i>	Hyacinth Macaw	1	1c, 2c, 3a
<i>Ara maracana</i>	Illeger's Macaw, Blue-winged Macaw	1	1b, 2c, 3a
<i>Poicephalus gulielmi</i>	Jardine's Parrot, Red-fronted Parrot	1	1b, 2c, 3a
<i>Nestor notabilis</i>	Kea	1	1c, 2c, 3c
<i>Cacatua sulphurea</i>	Lesser Sulphur Crested Cockatoo, Yellow Crested Cockatoo	1	1b, 2b, 3b
<i>Amazona finschi</i>	Lilac-crowned Amazon/Parrot	1	1b, 2c, 3a
<i>Prosopeia personata</i>	Masked Shining-Parrot	1	1b, 2c, 3c

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Poicephalus meyeri</i>	Meyers Parrot	1	1c, 2c, 3a
<i>Ara militaris</i>	Military Macaw	1	1b, 2c, 3a
<i>Cacatua moluccensis</i>	Moluccan Cockatoo, Salmon-crested Cockatoo	1	1c, 2c, 3a
<i>Alisterus amboinensis</i>	Moluccan King-Parrot	1	1c, 2a, 3a
<i>Trichoglossus johnstoniae</i>	Mt Apo Lorikeet, Mindanao Lorikeet	1	1a, 2a, 3a
<i>Amazona amazonica</i>	Orange-winged Amazon/Parrot	1	1c, 2c, 3a
<i>Trichoglossus ornatus</i>	Ornate Lorikeet	1	1a, 2a, 3a
<i>Forpus coelestis</i>	Pacific Parrotlet, Celestial Parrolet	1	1c, 2c, 3a
<i>Charmosyna papou</i>	Papuan Lorikeet, Stella's Lorikeet	1	1b, 2c, 3a
<i>Cyanoliseus patagonus</i>	Patagonian Conure, Burrowing Parakeet	1	1b, 2b, 3b
<i>Lorius domicella</i>	Purple-naped Lory	1	1b, 2c, 3b
<i>Trichoglossus haematodus</i>	Rainbow/Coconut Lory	1	1a, 2a, 3a
<i>Mitu tuberosa</i>	Razor-billed Curassow	1	1c, 2c, 3a
<i>Prosopiea tabuensis</i>	Red Shining-Parrot	1	1b, 2c, 3c
<i>Eos histrio</i>	Red-and-blue Lory	1	1c, 2c, 3a
<i>Ara manilata</i>	Red-bellied Macaw	1	1b, 2c, 3a
<i>Poicephalus rufiventris</i>	Red-bellied Parrot	1	1b, 2c, 3a
<i>Ara rubrogenys</i>	Red-fronted Macaw	1	1c, 2c, 3a
<i>Amazona autumnalis</i>	Red-lored Amazon	1	1c, 2c, 3a
<i>Ara macao</i>	Scarlet Macaw	1	1c, 2c, 3a
<i>Rhynchopsitta pachyrhyncha</i>	Thick-billed Parrot	1	1b, 2c, 3b
<i>Cacatua alba</i>	Umbrella Cockatoo, White Cockatoo	1	1c, 2b, 3a

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Eos squamata</i>	Violet-necked Lory	1	1c, 2c, 3a
<i>Pionites leucogaster</i>	White-bellied Caique/Parrot	1	1c, 2c, 3a
<i>Pionus senilis</i>	White-crowned Parrot, White-capped Parrot	1	1b, 2c, 3a
<i>Pyrrhura leucotis</i>	White-eared Conure/Parakeet	1	1c, 2c, 3a
<i>Amazona albifrons</i>	White-fronted Amazon/Parrot	1	1c, 2c, 3a
<i>Lorius chlorocercus</i>	Yellow-bibbed Lory	1	1b, 2c, 3b
<i>Neopsittacus musschenbroekii</i>	Yellow-billed Lorikeet, Musschenbroek's Lorikeet	1	1b, 2c, 3a
<i>Ara auricollis</i>	Yellow-collared Macaw	1	1b, 2c, 3a
<i>Amazona pretrei</i>	Yellow-faced Amazon/Parrot	1	1c, 2c, 3a
<i>Amazona xanthops</i>	Yellow-faced Amazon/Parrot	1	1c, 2c, 3a
<i>Amazona oratrix</i>	Yellow-headed Amazon/Parrot Double Yellow Headed Amazon	1	1c, 2c, 3a
<i>Amazona auropalliata</i>	Yellow-naped Amazon/Parrot	1	1c, 2c, 3a
<i>Chalcopsitta scintillata</i>	Yellow-streaked Lory	1	1b, 2c, 3a
<i>Psittacus erithacus</i>	African Grey Parrot	2	1c, 2c, 3a
<i>Lorius lory</i>	Black-capped Lory	2	1c, 2c, 3b
<i>Pionites melanocephala</i>	Black-headed Caique/Parrot	2	1c, 2c, 3b
<i>Ara ararauna</i>	Blue and Gold Macaw	2	1c, 2c, 3b
<i>Ara ararauna x A. chloropterus</i>	Blue and Gold Macaw x Green-winged Macaw	2	Same as for <i>Ara ararauna</i>
<i>Amazona aestiva</i>	Blue-fronted Amazon/Parrot	2	1c, 2c, 3b
<i>Pyrrhura cruentata</i>	Blue-throated Conure	2	1b, 2c, 3b
<i>Lorius garrulus</i>	Chattering Lory	2	1c, 2c, 3b
<i>Pyrrhura rhodogaster</i>	Crimson-bellied Conure/Parakeet	2	1c, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRs.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Pseudeos fuscata</i>	Dusky Lory	2	1c, 2c, 3b
<i>Eclectus roratus</i>	Grand Eclectus Parrot	2	1b, 2b, 3c
<i>Ara chloropterus</i>	Green-winged Macaw	2	1c, 2c, 3b
<i>Ara nobilis</i>	Hahn's Macaw, Red-shouldered Macaw	2	1b, 2c, 3c
<i>Pyrrhura melanura</i>	Maroon-tailed Conure, Black-tailed Conure	2	1c, 2c, 3b
<i>Caloenas nicobarica</i>	Nicobar Pigeon	2	1c, 2c, 3b
<i>Trichoglossus euteles</i>	Olive-headed Lorikeet, Perfect Lorikeet	2	1b, 2a, 3a
<i>Pyrrhura picta</i>	Painted Conure/Parakeet	2	1c, 2c, 3a
<i>Aratinga aurea</i>	Peach-fronted Conure	2	1c, 2c, 3b
<i>Pyrrhura perlata</i>	Pearly Conure/Parakeet,	2	1c, 2c, 3a
<i>Eos bornea</i>	Red Lory	2	1c, 2c, 3c
<i>Poicephalus senegalus</i>	Senegal Parrot	2	1c, 2c, 3b
<i>Eclectus roratus solomonensis*</i>	Solomon Island Eclectus parrot	2	1b, 2b, 3c
<i>Eclectus roratus Vosmaeri</i>	Vosmaeri Eclectus	2	1b, 2b, 3c
<i>Amazona ochrocephala</i>	Yellow-headed Amazon/Parrot Yellow fronted/crowned Amazon	2	1b, 2c, 3c
<i>Serinus xanthopygius</i>	Abyssinian Yellow-rumped Seedeater	3	1c, 2c, 3b
<i>Lagonosticta rubricata</i>	African Firefinch	3	1b, 2c, 3b
<i>Psittacula eupatria*</i>	Alexandrine Parrot	3	1b, 2c, 3c
<i>Lonchura domestica*</i>	Bengalese Mannikin	3	1c, 2c, 3c
<i>Francolinus francolinus</i>	Black Francolin	3	1b, 2c, 3b
<i>Agapornis nigrigenis</i>	Black-cheeked Lovebird	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Lonchura malacca malacca</i> *	Black-headed Munia, Black-headed Nun	3	1c, 2c, 3c
<i>Carduelis notata</i>	Black-headed Siskin	3	1c, 2c, 3b
<i>Carduelis magellanica</i> *	Black-headed Yellow Siskin	3	1c, 2c, 3b
<i>Estrilda troglodytes</i>	Black-rumped Waxbill	3	1c, 2c, 3b
<i>Psittacula roseata</i>	Blossom-headed Parakeet	3	1c, 2c, 3a
<i>Uraeginthus angolensis</i> *	Blue-breasted Cordonbleu	3	1c, 2c, 3b
<i>Uraeginthus cyanocephala</i> *	Blue-capped Cordonbleu	3	1c, 2c, 3b
<i>Erythrura trichroa</i> (excluding <i>Erythura sigillifera</i>)	Blue-faced parrot finch	3	1c, 2c, 3c
<i>Erythura trichroa x Erythura tricolor</i>	Blue-faced Parrotfinch x Tricolored Parrotfinch	3	Same as <i>Erythrura tricolor</i>
<i>Lophortyx californica</i> *	California Quail	3	1b, 2c, 3c
<i>Branta canadensis</i>	Canada Goose	3	1b, 2b, 3c
<i>Aix sponsa</i>	Carolina Wood Duck	3	1c, 2b, 3b
<i>Fringilla coelebs</i>	Chaffinch	3	1b, 2c, 3b
<i>Lonchura malacca ferruginosa</i> *	Chestnut Munia	3	1c, 2c, 3b
<i>Uraeginthus granatina</i>	Common Grenadier, Violet-eared Waxbill	3	1c, 2c, 3b
<i>Coturnix coturnix</i> *	Common Quail	3	1b, 2c, 3c
<i>Carduelis flammea</i>	Common Redpoll	3	1b, 2c, 3b
<i>Alauda arvensis</i> *	Common Skylark	3	1b, 2b, 3c
<i>Tiaris canora</i> *	Cuban Grassquit	3	1c, 2c, 3c
<i>Amadina fasciata</i> *	Cut-throat Finch	3	1c, 2c, 3c
<i>Psittacula derbiana</i>	Derbyan Parakeet	3	1c, 2c, 3b
<i>Euschistospiza dybowskii</i>	Dybowski's Twinspot	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Lophura edwardsi</i>	Edwards Pheasant	3	1c, 2c, 3b
<i>Carduelis cannabina</i>	Eurasian Linnet	3	1c, 2c, 3b
<i>Carduelis spinus</i>	Eurasian Siskin	3	1c, 2c, 3b
<i>Carduelis chloris</i> *	European Greenfinch	3	1b, 2c, 3c
<i>Serinus serinus</i>	European Serin	3	1c, 2c, 3b
<i>Erythrura pealii</i>	Fiji Parrotfinch, Peale's Parrotfinch	3	1c, 2c, 3b
<i>Agapornis fischeri</i> *	Fischer's Lovebird	3	1c, 2c, 3c
<i>Chrysolophus pictus</i> *	Golden Pheasant	3	1c, 2c, 3c
<i>Amandava formosa</i>	Green Avadavat	3	1c, 2c, 3b
<i>Mandingoa nitidula</i>	Green-backed Twinspot	3	1c, 2c, 3b
<i>Pyrrhura molinae</i>	Green-cheeked Conure/Parakeet, Molina's Conure	3	1b, 2c, 3c (higher risk rating for mutations)
<i>Pytilia melba</i> *	Green-winged Pytilia, Melba finch, Melba Waxbill	3	1c, 2c, 3b
<i>Lonchura griseicapilla</i>	Grey-headed Silverbill	3	1c, 2c, 3b
<i>Lophophorus impejanus</i>	Himalayan Monal,	3	1c, 2c, 3b
<i>Carpodacus mexicanus</i>	House Finch, Purple Rosefinch, Mexican Rosefinch	3	1b, 2c, 3b
<i>Psittacula krameri</i> *	Indian ring-necked Parrot	3	1b, 2c, 3c (higher risk rating for mutations)
<i>Volatinia jacarina</i> *	Jacarina, Blue-black Grassquit	3	1c, 2c, 3c
<i>Aratinga jandaya</i> *	Janday Conure	3	1c, 2c, 3b
<i>Lonchura leucogastroides</i> *	Japanese White-bellied Munia, Javan Munia	3	1c, 2c, 3c
<i>Padda oryzivora</i> *	Java sparrow	3	1c, 2c, 3c
<i>Lophura leucomelanos</i> *	Kalij Pheasant	3	1c, 2c, 3c
<i>Coturnix chinensis</i> *	King quail, Chinese painted Quail	3	1c, 2c, 3c

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Chrysolophus amherstiae</i> *	Lady Amherst's Pheasant	3	1c, 2c, 3c
<i>Streptopelia senegalensis</i> *	Laughing, Senegal Dove	3	1b, 2c, 3c
<i>Gallicolumba luzonica</i> *	Luzon bleeding heart Pigeon	3	1c, 2c, 3c
<i>Foudia madagascariensis</i> *	Madagascar Fody, Madagascar Weaver	3	1c, 2c, 3c
<i>Psittacula columboides</i>	Malabar Parakeet	3	1c, 2c, 3c
<i>Aix galericulata</i>	Mandarin Duck	3	1c, 2b, 3b
<i>Pyrrhura frontalis</i>	Maroon-bellied Conure	3	1c, 2c, 3b
<i>Oena capensis</i> *	Masked dove, Caped, Harelquin, Namaqua dove	3	1b, 2c, 3c
<i>Agapornis personata</i> *	Masked Lovebird	3	1c, 2c, 3c
<i>Psittacula alexandri</i>	Moustached Parrot, Red-breasted Parakeet	3	1c, 2c, 3c
<i>Nandayus nenday</i> *	Nanday conure	3	1b, 2b, 3c
<i>Gallicolumba jobiensis</i> *	New guinea, White bibbed ground Dove	3	1c, 2c, 3c
<i>Hemiphaga novaeseelandiae</i>	New Zealand Pigeon	3	1c, 2c, 3b
<i>Aythya novaeseelandiae</i> *	New Zealand Scaup	3	1c, 2b, 3c
<i>Colinus virginianus</i> *	Northern bobwhite, Bobwhite Quail	3	1b, 2c 3c
<i>Agapornis lilianae</i> *	Nyasa Lovebird	3	1c, 2c, 3c
<i>Euplectes orix franciscana</i> *	Orange bishop Weaver	3	1c, 2c, 3b
<i>Estrilda melpoda</i>	Orange-cheeked Waxbill	3	1b, 2c, 3b
<i>Carduelis sinica</i> *	Oriental Greenfinch	3	1c, 2c, 3b
<i>Copsychus saularis</i>	Oriental Magpie-Robin	3	1b, 2c, 3b
<i>Tadorna variegata</i> *	Paradise shelduck	3	1c, 2b, 3c
<i>Agapornis roseicollis</i> *	Peach-faced Lovebird	3	1c, 2c, 3c

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Hypargos niveoguttatus</i>	Peters's Twinspot	3	1c, 2c, 3b
<i>Vidua macroura</i> *	Pin tailed Whydah	3	1b, 2c, 3b
<i>Erythrura prasina</i>	Pin-tailed Parrotfinch	3	1c, 2c, 3b
<i>Passer flaveolus</i>	Plain-backed Sparrow	3	1b, 2c, 3b
<i>Psittacula cyanocephala</i> *	Plum-headed Parrot	3	1b, 2c, 3c
<i>Carpodacus purpureus</i>	Purple Finch	3	1b, 2c, 3b
<i>Uraeginthus ianthinogaster</i>	Purple Grenadier	3	1c, 2c, 3b
<i>Myiopsitta monachus</i> *	Quaker Parrot, Monk parrot	3	1b, 2a, 3a
<i>Amandava amandava amandava</i> *	Red Avadavat	3	1b, 2c, 3b
<i>Euplectes orix orix</i> *	Red Bishop, Grenadier Weaver	3	1b, 2c, 3c
<i>Streptopelia tranquebarica</i>	Red Collared-Dove	3	1c, 2c, 3c
<i>Carduelis cucullata</i>	Red Siskin, Hooded Siskin	3	1c, 2c, 3b
<i>Amandava amandava punicea</i> *	Red Strawberry Finch	3	1c, 2c, 3b
<i>Lagonosticta senegala</i> *	Red-billed Firefinch	3	1c, 2c, 3c
<i>Leiothrix lutea</i>	Red-billed Leiothrix, Pekin Robin	3	1c, 2c, 3b
<i>Uraeginthus bengalus</i> *	Red-cheeked Cordonbleu	3	1c, 2c, 3c
<i>Paroaria coronata</i>	Red-crested Cardinal	3	1c, 2c, 3b
<i>Coryphospingus cucullatus</i>	Red-crested Finch	3	1b, 2c, 3b
<i>Pytilia hypogrammica lopezi</i> *	Red-faced Aurora, Red-faced Pytilia	3	1c, 2c, 3b
<i>Cyanoramphus novaezelandiae novaezelandiae</i> *	Red-fronted Kakariki	3	1c, 2c, 3b
<i>Foudia eminentissima</i> *	Red-headed Fody	3	1c, 2c, 3b
<i>Erythrura cyaneovirens</i>	Red-headed Parrotfinch	3	1c, 2c, 3c
<i>Amadina erythrocephala</i> *	Red-headed, Aberdeen Finch	3	1c, 2c, 3b
<i>Euplectes axillaris</i> *	Red-shouldered Whydah, Fan-tailed Widow Bird	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Eclectus roratus polychloros</i> *	Red-sided Eclectus Parrot	3	1b, 2b, 3c
<i>Erythrura psittacea</i>	Red-throated Parrot finch, Red-faced Parrot finch	3	1c, 2c, 3b
<i>Pytilia phoenicoptera</i> *	Red-winged Pytilia, Aurora	3	1c, 2c, 3b
<i>Syrmaticus reevesii</i> *	Reeves's Pheasant	3	1c, 2c, 3c
<i>Tadorna ferruginea</i>	Ruddy Shelduck	3	1c, 2b, 3c
<i>Lonchura bicolor</i>	Rufous backed Munia	3	1c, 2c, 3c
<i>Sicalis flaveola</i>	Saffron Finch, Pelzeln's Saffron Finch	3	1c, 2c, 3b
<i>Lophura diardi</i> *	Siamese Pheasant	3	1c, 2c, 3b
<i>Lophura nycthemera</i> *	Silver Pheasant	3	1c, 2c, 3c
<i>Lonchura cantans</i> *	Silverbill, African Silverbill	3	1c, 2c, 3b
<i>Leiothrix argenteauris</i>	Silver-eared Mesia	3	1c, 2c, 3b
<i>Psittacula himalayana</i> *	Slaty-headed Parrot	3	1c, 2c, 3c
<i>Turdus philomelos</i> *	Song Thrush	3	1b, 2c, 3b
<i>Lonchura malacca atricapilla</i> *	Southern black-headed Munia	3	1b, 2c, 3c
<i>Serinus atrogularis</i>	Southern Yellow-rumped Seedeater	3	1c, 2c, 3b
<i>Lonchura punctulata</i> *	Spice Finch, Scaly-breasted Munia	3	1b, 2c, 3c
<i>Streptopelia chinensis</i> *	Spotted Dove	3	1a, 2c, 3c - common pest
<i>Estrilda astrild</i> *	St Helena, Common Waxbill	3	1b, 2c, 3c
<i>Passer luteus</i>	Sudan Golden-Sparrow, Golden Song Sparrow	3	1b, 2c, 3b
<i>Aratinga solstitialis</i> *	Sun Conure	3	1c, 2c, 3b
<i>Lophura swinhoii</i> *	Swinhoe's Pheasant	3	1c, 2c, 3c
<i>Columbina talpacoti</i> *	Talpacoti, Ruddy ground Dove	3	1b, 2c, 3c

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Erythrura hyperythra</i>	Tawny-breasted Parrotfinch, Bamboo Parrotfinch	3	1c, 2c, 3b
<i>Erythrura tricolor</i>	Tricolored Parrotfinch	3	1c, 2c, 3c
<i>Goura victoria</i>	Victoria Crowned-Pigeon	3	1c, 2c, 3b
<i>Serinus leucopygius</i> *	White rumped Seedeater, Grey Singing Finch	3	1c, 2c, 3b
<i>Serinus dorsostriatus</i>	White-bellied Canary	3	1c, 2c, 3b
<i>Serinus dorsostriatus x Serinus xanthopygius</i>	White-bellied Canary x Abyssinian Yellow rumped	3	Same as <i>Serinus dorsostriatus</i>
<i>Lonchura maja</i> *	White-headed munia, Silver-headed Nun	3	1c, 2c, 3c
<i>Lonchura striata</i>	White-rumped Munia	3	1c, 2c, 3c
<i>Copsychus malabaricus</i>	White-rumped Shama	3	1c, 2c, 3b
<i>Lonchura malabarica</i> *	White-throated silverbill, Indian Silverbill	3	1b, 2c, 3b
<i>Serinus flaviventris</i> *	Yellow Canary, St Helena Seedeater	3	1c, 2c, 3b
<i>Carduelis spinoides</i>	Yellow-breasted Greenfinch, Himalayan Greenfinch	3	1c, 2c, 3b
<i>Euplectes afer</i>	Yellow-crowned Bishop, Napoleon Weaver	3	1c, 2c, 3b
<i>Serinus mozambicus</i> *	Yellow-fronted canary, Green Singing Finch	3	1c, 2c, 3c
<i>Cyanoramphus auriceps auriceps</i> *	Yellow-fronted Kakariki	3	1c, 2c, 3c
<i>Emberiza citrinella</i>	Yellowhammer	3	1b, 2c, 3b
<i>Carduelis uropygialis</i>	Yellow-rumped Siskin	3	1c, 2c, 3b
<i>Pytilia hypogrammica</i> *	Yellow-winged Pytilia, Aurora	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Amandava subflava</i> *	Zebra, Orange-breasted Waxbill	3	1c, 2c, 3c
<i>Serinus canaria</i> *	Canary	4	1c, 2c, 3c
<i>Anser cygnoides</i> *	Chinese goose, Swan Goose	4	1c, 2b, 3c
<i>Alectoris chukar</i> *	Chukar Partridge	4	1c, 2c, 3c - commercially farmed
<i>Acridotheres tristis</i> *	Common Myna	4	1a, 2a, 3c - common pest
<i>Phasianus colchicus</i> *	Common Pheasant	4	1b, 2c, 3c
<i>Columba livia</i> *	Common Pigeon	4	1b, 2b, 3c – common pest
<i>Sturnus vulgaris</i> *	Common Starling	4	1b, 2c, 3c - common pest
<i>Alopochen aegyptiacus</i> *	Egyptian Goose	4	1c 2b 3c
<i>Turdus merula</i> *	Eurasian Blackbird	4	1a, 2c, 3c - common pest
<i>Passer montanus</i> *	Eurasian tree Sparrow	4	1b, 2c, 3c
<i>Carduelis carduelis</i> *	European Goldfinch, Goldfinch	4	1b, 2c, 3c
<i>Pavo muticus</i> *	Green Peafowl	4	1c, 2c, 3c
<i>Anser anser</i> *	Greylag and all domestic strains of geese	4	1c, 2b, 3c
<i>Numida meleagris</i> *	Helmeted guineafowl	4	1b, 2c, 3c
<i>Passer domesticus</i> *	House Sparrow	4	1a, 2c, 3c - common pest
<i>Pavo cristatus</i> *	Indian Peafowl	4	1b, 2c, 3c
<i>Coturnix japonica</i> *	Japanese Quail	4	1c, 2c, 3c - commercially farmed
<i>Anas platyrhynchos</i> *	Mallard and all strains of domestic Duck	4	1b, 2b, 3c
<i>Cairina moschata</i> *	Muscovy duck	4	1c, 2b, 3c
<i>Cygnus olor</i>	Mute Swan	4	1b, 2b, 3c
<i>Struthio camelus</i> *	Ostrich	4	1b, 2c, 3c - commercial use
<i>Gallus gallus</i> *	Red junglefowl and all strains of domestic Chicken	4	1b, 2c, 3c

Draft classification of exotic bird species for record keeping purposes

Note: Sorted by class then common name (the sort only works on the first common name if more than one is included)

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Pycnonotus jocosus</i> *	Red-whiskered Bulbul	4	1b, 2c, 3c - common pest
<i>Streptopelia risoria</i> *	Ringed turtle dove, Barbary dove	4	1a, 2c, 3c - common
<i>Meleagris gallopavo</i> *	Turkey	4	1b, 2c, 3c

DRAFT